

Panasonic

New Aquarea T-CAP M Series
Air to water heat pumps

AQUAREA



R290


NATURAL
REFRIGERANT

Contributing to the decarbonisation of society.


Aquarea air to water heat pumps with R290 refrigerant range is a groundbreaking low energy system for heating, cooling and domestic hot water production that delivers outstanding performance, aligning with our vision of a carbon-free society and our GREEN IMPACT plan.

Panasonic's newest series are engineered with industry leading natural refrigerant R290, which has a low Global Warming Potential (GWP) of just 3, helping reduce CO₂ emissions and environmental impact.

Global Warming Potential refrigerant comparison.



Up to 80%* energy savings with Aquarea.



As much as 79% of the energy consumption of European homes comes from heating and producing DHW*. That's why, compared to conventional boilers and electric heaters, highly efficient Panasonic air to water heat pump technology can make a significant difference. Moreover, by converting heat energy in the air into household warmth, this technology helps reduce CO₂ emissions and environmental impact.

* <https://ec.europa.eu/eurostat>.





R290
NATURAL
REFRIGERANT

***The Aquarea line meets the highest
rank of energy efficiency criteria of
European energy rating system.***


For low temperature application: Energy Labelling Regulation (EU) No. 811/2013.

Introducing T-CAP, M Series the latest generation of Aquarea air to water heat pumps with R290.

Flexible installation, suitable for retrofit and new buildings.


Thanks to its new, modular concept, the outdoor unit can function independently with just an indoor remote control, for those seeking basic functionalities. Homeowners can opt for enhanced functionality by incorporating the more advanced control module or selecting between the range of indoor units.

Wi-Fi adapter included



Output water


Up to 75 °C water outlet down to -15 °C outdoor.



Quiet operation


Only 29 dB(A) sound pressure at 5 m*.

* Sound pressure calculation for WH-WXG12ME5, free standing, A +7 °C, W 35 °C in Quiet mode 3.



Flexible hydraulic installation

Hydraulic connection between indoor and outdoor.




Made and designed by Panasonic

Reliable outdoor units with Panasonic compressor.




Smart control and maintenance included

Panasonic Comfort Cloud App and Aquarea Service Cloud included.




High efficiency

ErP 35 °C.
Energy efficiency class up to A+++*.



Extreme conditions

Compressor operating down to -28 °C outdoor temperatures.



T-CAP technology

Keeping heating capacity down to -20 °C.

Panasonic has more than 60 years of heat pump experience, having produced an exceptional amount of compressors. Quality is what Panasonic stands for and this is a key factor for succeeding in the European market.

As a member of the European Heat Pump Association, the production of Aquarea in Europe and maintaining high security protocols in European servers for the Aquarea Smart Cloud, makes Panasonic a trusted heating partner.

* Scale from A+++ to D.

Aquarea T-CAP, high performance whatever the climate.

Aquarea T-CAP outdoor units are highly reliable thanks to the quality of all components, including the new compressor with injection technology, developed and manufactured by Panasonic, that can work in outdoor temperatures as low as -28°C .

Specially designed to work under severe outdoor conditions, Aquarea T-CAP can work in outdoor temperatures as low as -28°C and maintain the rated heating capacity even at -20°C ¹⁾ outdoor temperature, without requiring an electrical heater.



1) At 35°C flow temperature.

For retrofit and new buildings.

The wide Aquarea T-CAP range ensures the most appropriate choice for your home - whatever the size.

Aquarea T-CAP easily replaces old boilers or manages bivalent installations and is ideal for supplying radiators, fan coils or underfloor heating up to 75°C , even at -15°C outside.

It can even supply hot water at 55°C when the outside temperature is -28°C .



Backup heater

Aquarea T-CAP Heat Pump

Standard heat pump

Required heating load

Other heat pumps may require oversizing plus additional backup heater support.

24 kW

16 kW



Reliable technology.

Aquarea T-CAP M Series outdoor units are equipped with a Panasonic R290 scroll compressor with injection technology, manufactured in-house, that can work in outdoor temperatures as low as -28°C .

The outdoor heat exchanger is protected with a Bluefin treatment for harsh ambient conditions.


Big Aquarea T-CAP M Series, the ideal solution for centralised heating and DHW installations.

The new Big Aquarea M Series offers a flexible, compact and energy-efficient solution for central heating and/or domestic hot water installations in multi-family or commercial buildings.

- Scalable solution, up to 300 kW in cascade
- Suitable for new build and retrofit
- Up to 75 °C water outlet down to -15 °C
- Easy replacement of other heating sources and integration into existing water systems
- Quiet operation
- Maintains output at 55 °C down to -15 °C
- Hot water production at 65 °C with compressor only
- Flexible control options and seamless Modbus integration



Conventional cascade system.

2 x 20 kW Heat pump



Panasonic New T-CAP.

1 x 30 kW **Big Aquarea T-CAP**




Maintained
capacity



Time-saving
installation



Cost-saving




Space-saving

The new Big Aquarea M Series offers a solution for central heating and/or domestic hot water installations in multi-family or commercial buildings.

The peak of comfort, efficiency and low energy costs.

Leveraging heat pump technology and our unique expertise, Panasonic has been working for many years to help realise a sustainable society and enrich people's lives.

Aquarea M Series can reach a domestic hot water temperature of up to 65 °C without the use of the electric heater, so the tank sterilization can be performed with the heat pump operation for further energy savings.



Energy efficiency class
up to A+


ErP 35 °C / 55 °C.
Energy efficiency class up to A+++/A++.

Scale from A+ to F.

Scale from A+++ to D.

Maximising hot water comfort.

- Up to 40% more tap water with a higher tank temperature setting to save space
- New domestic hot water circulation mode for instant availability of hot tap water
- During sterilisation, the domestic hot water circulation mode is activated to ensure sterilisation of the water pipes




Flexible hydraulic installation.

The installation of the system is 100% hydraulic, with only water pipes between the outdoor unit and the interior of the home.

More living space at home.

No indoor safety measures needed for refrigerant or fuel gas piping.



Harmony between technology and home.


In our daily lives, technology is attuned to you and the environment around you, without overstating the device or interface.
Just as the air is always around you even if you're not aware of it, Panasonic's technology continues to be in tune with your environment and your life.

Harmony with the environment. Save livingspace.
A premium white, faithful to the Aquarea spirit underlined by the seamlessly integrated controller which provides a sleek black band across the unit.



Aquarea All-in-One M series: the best Panasonic technology.

599 x 602 mm footprint	No buffer tank required	Up to 40% more tap water
Reduces required installation space.	Reducing space, cost and installation time.	With a higher tank temperature setting.



U-Vacua™, Vacuum insulation panel. Significant energy savings with world-leading insulation performance.
Because they leverage VIP technology, U-Vacua™ panels offer 19 times the insulation performance of polystyrene foam. Since the system retains heat longer, it needs to heat up fewer times each day, resulting in energy savings.



reddot winner 2023

* For 9, 12 and 14 kW Models (Single and Three phase)

Like indoor equipment, the outdoor unit is designed to harmonize with architecture and the environment while quietly supporting the precious time spent with the warm family.

The outdoor units, with an anthracite grey colour which will dress the entire range, have been completely redesigned with an innovative design that will find its place in all spaces.



Panasonic's unique low noise architecture.

The compressor, which is a major source of noise, is equipped with a double-bottomed structure to provide a safe, quiet structure that does not disturb neighbors in crowded residential areas.

* Sound pressure calculation for WH-WXG12ME5, free standing, A +7 °C, W 35 °C in Quiet mode 3.

Aquarea M Series gives you even more.

Highly efficient Panasonic solutions can help to significantly reduce the energy consumption of the house, at the same time a high level of comfort and good indoor air quality are kept.

Ventilation unit for a low-energy house.

Heat recovery ventilation units are ideal for homes, for these owners who are looking for high performance and maximum comfort.

Combine the Residential ventilation unit with Panasonic Aquarea for an space saving and highly efficient solution for heating, cooling, ventilation and DHW.

Aquarea + PV panels.

Aquarea heat pumps can synchronise with PV panels, using the optional PCB. Thanks to this feature, demand of heating, cooling and domestic hot water production is adapted to the PV panel production.

Smart Grid Ready.

Aquarea M Series heat pumps in combination with the optional PCB hold the SG Ready function, allowing the heat pump to be connected in an intelligent grid control.

BMS integration.

Aquarea heat pumps can be integrated into Modbus or KNX projects with an optional accessory, allowing comprehensive bi-directional monitoring and control of all operating parameters.

Advanced control features, enhanced interface.

Remote controller designed in harmony with the whole system, with optimised user interface and improved features.

Smart bivalency.

Cost effective bivalent mode with power tariff logic.

Optimised user interface.

Each touch point designed in harmony, with optimised user interface across the range.

Additional interface connection port.

Enhanced connectivity provided by a second interface connection port (CN-CNT) when the outdoor unit is connected to the control module or an indoor unit.



Dual controller system.

A dual controller system, for independent control of two zones, within the home.

Panasonic Comfort Cloud App.

The IoT solution for your heating and cooling systems to help maximize comfort while managing energy consumption from anywhere, 24/7.


The Panasonic Comfort Cloud App enables you to conveniently manage and monitor the Aquarea range of heating, cooling and hot water functions from a mobile device. Energy monitoring is also possible, giving you the opportunity to reduce operating costs even further.

Aquarea Service Cloud.

The Aquarea Service Cloud allows professionals to take care of their customers' heating systems remotely, engaging in predictive maintenance and system finetuning and respond rapidly to any malfunctions.



Download
Panasonic Comfort
Cloud App.



Watch demo
Panasonic Comfort
Cloud App.



More possibilities with IFTTT.

IF This Then That: IFTTT service enables user to automatically trigger actions for Aquarea system based on other apps, web services or devices.



AQUAREA+

Get the most out of your Aquarea Heat Pump.

Aquarea+ offers end user useful information to operate a Panasonic Aquarea Heat Pump to provide heating, cooling and hot water in the most efficient and cost effective way.



Visit Aquarea+

AQUAREA SERVICE+

A window to tranquility

Let us take care of your heat pump so you can just relax and enjoy a cozy, warm home.

Aquarea Service+ offers a choice of 3 different service packages for you to select the one that best fits your needs.



Visit Aquarea Service+



1) Scale from A+++ to D, 2) Sound power level in accordance to EN12102 under conditions of the EN14825, 3) WH-WXG models are hermetically sealed, 4) Check local regulations, * EER and COP classification is at 230 V only in accordance with EU directive 2003/32/EC.



Aquarea Quick Selector.

Helping you to find the Aquarea Heat Pump for your home in just a few clicks!

Visit Aquarea Quick Selector



AR Heat Pump Viewer.

This tool allows you to see how a Panasonic Aquarea Heat Pump looks in a home, utilising augmented reality.

Visit AR Heat Pump Viewer



Natural refrigerant R290 with GWP 3.

The new construction ensures a reduced noise level and increased safety for the use of R290.



A class water pump.

Aquarea are built-in with A class energy efficiency water pump. High efficiency circulating the water in the heating installation.



Water flow sensor.

Included on H Series onwards.



Better efficiency and value for medium temperature applications.

Energy efficiency class up to A++ in a scale from A+++ to D.



DHW.

With Aquarea you can also heat your domestic hot water at a very low cost with the optional hot water cylinder.



Renovation.

Our Aquarea Heat Pumps can be connected to an existing or new boiler for optimum comfort even at very low outdoor temperatures.



Better efficiency and Value for low temperature applications.

Energy efficiency class up to A+++ in a scale from A+++ to D.



Down to -28 °C in heating mode.

The heat pumps work in heating mode with an outdoor temperature is as low as -28 °C.



Internet control. Wi-Fi adapter included.

A next generation system providing user-friendly remote control of air conditioning or heat pump units from everywhere, using a simple Android™ or iOS smartphone, tablet or PC via the internet.



Better efficiency and Value for domestic hot water.

Energy efficiency class up to A+ in a scale from A+ to F.



Water filter with magnet.

Easy access and fast clip technology for J Series onwards.



BMS connectivity.

The communication port can be integrated into the indoor unit and provides easy connection to, and control of, your Panasonic heat pump to your home or Building Management System.



Inverter Plus.

Panasonic Inverter Plus compressors are designed to achieve outstanding level of performance.



75 °C output water.

Reaches water outlet temperature up to 75 °C.



5 Years compressor warranty.

We guarantee the outdoor unit compressors in the entire range for five years.



To find out how Panasonic cares for you,
log on to: www.aircon.panasonic.eu

Panasonic Marketing Europe GmbH
Panasonic Heating & Ventilation Air-Conditioning Europe
Hagenauer Strasse 43, 65203 Wiesbaden, Germany